

NH Department of Health and Human Services  
129 Pleasant Street – Hugh Gallen State Office Park  
Concord, NH 03301

**PRESS RELEASE**  
**FOR IMMEDIATE RELEASE**  
**August 21, 2020**

**FOR MORE INFORMATION**  
Public Information Office  
603-271-9389 or [pio@dhhs.nh.gov](mailto:pio@dhhs.nh.gov)

## **DHHS Identifies Third Jamestown Canyon Virus Case of the 2020 Arboviral Season in New Hampshire**

**Concord, NH – Concord, NH** - The New Hampshire Department of Health and Human Services (DHHS), Division of Public Health Services (DPHS) is announcing that an adult from Dunbarton, NH, tested positive for [Jamestown Canyon virus \(JCV\)](#). The patient was hospitalized with a fever and headache. They have been discharged and are recovering at home. This is the third detection of JCV in the State this year. JCV is transmitted by the bite of an infected mosquito. There are no vaccines to prevent JCV and treatment consists of supportive care.

The [arboviral risk level](#) for Dunbarton will be increased to high. The arboviral risk level indicates the risk of transmission of these infections to people from mosquitoes. The surrounding town of Weare will increase to moderate. The risk level for the surrounding towns of Hooksett, Hopkinton, and Goffstown will remain moderate. The risk level for the surrounding town of Bow will remain high.

“This is the third detection of Jamestown Canyon Virus infection in our State this year, and the risk for Jamestown Canyon Virus and other mosquito-transmitted viral infections will only increase until there is a mosquito-killing hard frost in the fall,” said Dr. Benjamin Chan, NH State Epidemiologist. “All three of the mosquito-transmitted infections able to be acquired in NH can cause severe neurologic illness, and it remains important for residents and visitors to protect themselves and their families by preventing mosquito bites.”

Jamestown Canyon Virus is a mosquito-borne pathogen that circulates widely in North America primarily between deer and mosquitoes but can also infect humans. Reports in humans have been increasing over the last several years as recognition and testing for this virus has increased. This is New Hampshire’s twelfth case of JCV since the first report of the disease in the State in 2013. Many illnesses caused by JCV are mild, but moderate-to-severe central nervous system involvement requiring hospitalization have been reported, including fatal infections.

In addition to JCV, risk for infection in NH by [Eastern Equine Encephalitis virus \(EEEV\)](#) and [West Nile Virus \(WNV\) will continue to increase through the summer and fall until mosquitoes are no longer biting](#). Residents of and visitors to New Hampshire should continue to protect themselves and their family members. Prevention guidelines are included below.

People can be infected and not develop any symptoms, or only develop very mild symptoms for all of the mosquito-borne diseases present in New Hampshire. Early symptoms can include fever, muscle aches, headaches, and fatigue. More serious central nervous system disease, including meningitis or encephalitis can occur with these diseases. If you or someone you know is experiencing symptoms, including fever and headache, contact your local medical provider.

Anyone with questions about vector-borne illnesses can call the DPHS Bureau of Infectious Disease Control at (603) 271-4496 from 8 AM to 4:30 PM, Monday through Friday. More information can also be found online at [www.dhhs.nh.gov](http://www.dhhs.nh.gov) and [www.cdc.gov](http://www.cdc.gov).

###

## **Prevention Guidelines for Mosquito and Tick Diseases**

*NH Department of Health and Human Services, Division of Public Health Services*

### **1. Eliminate habitat and breeding locations.**

#### Mosquitoes

- Mosquitoes lay their eggs in standing water. Remove outdoor items that hold water (old tires, cans, plastic containers, ceramic pots).
- Drill holes in the bottom of outdoor recycling containers, clean roof gutters and ensure proper drainage.
- If not in use, empty and/or cover swimming pools, wading pools and hot tubs.
- Turn over wheelbarrows and change water in birdbaths at least twice weekly.

#### Ticks

- Minimizing areas where hosts for the ticks, such as rodents and deer, can congregate to eat, sleep or feed.

### **2. Be aware of where mosquitoes and ticks live.**

- Weeds, tall grass, and bushes provide an outdoor home for mosquitoes and ticks, alike.
- Make sure that doors and windows have tight-fitting screens. Repair or replace all screens in your home that have tears or holes.
- Resting mosquitoes can often be flushed from indoor resting sites by using sweeping motions under beds, behind bedside tables etc. and once in flight, exterminated prior to sleeping at night.
- Avoid tick-infested areas. If in tick-infested areas, walk in the center of trails to avoid contact with overgrown grass, brush, and leaf litter at trail edges.

### **3. Protect yourself from bites.**

- When outside, wear protective clothing such as socks, long-sleeved shirts, and long pants (preferably tucked in socks). Light-colored clothing helps you spot ticks.

- Consider avoiding outdoor activities in the early morning and evening, when mosquitoes are most likely to be biting.
- Wear insect repellents, such as one containing 30% or less DEET (N,N-diethyl-methyl-meta-toluamide), Picaridin, para-menthane-diol, IR3535, or 2-undecanone or oil of lemon eucalyptus. Treat clothing with permethrin, which is odorless when dry.
- Vitamin B, ultrasonic devices, incense, and bug zappers have not been shown to be effective in preventing mosquito bites.
- Shower as soon as possible after spending time outdoors.
- Check for ticks daily, on you and your pets. Ticks can hide under the armpits, behind the knees, in the hair, and in the groin.
- Wash and dry clothing after being outdoors. Tumble clothes in a dryer on high heat for 10 minutes to kill ticks on dry clothing. If the clothes are damp, additional time may be needed.
- Early removal of ticks can reduce the risk of infection. Inspect all body surfaces carefully, and remove attached ticks with tweezers. Monitor your health closely after a tick bite and be alert for symptoms of illness. Contact your physician to discuss testing and treatment.

*For more information on mosquito-borne diseases, visit the DHHS Website at [www.dhhs.nh.gov](http://www.dhhs.nh.gov).*

###